



# BREAK



## FEATURES

- Hyper-concentrated
- Contains water conditioners
- Contains metal protectors
- Powerful alkaline builders
- Iron inhibitors

## BENEFITS

- Extremely low use rate
- Prevents greying of fabric
- Prolongs machine life
- Removes heavy greasy soils
- Fights iron problems in wash bath

## RECOMMENDED USES

For institutional laundry use ONLY. DO NOT USE IN HOMESTYLE MACHINES.

## SPECIFICATIONS

**Color** : Colorless  
**Scent/Odor** : Ammonia odor  
**Character** : Clear, non-viscous liquid  
**Foam** : Non-foamer

**pH use dilution** : 11.0 - 12.0  
**Phosphorus content** : 0.7%  
**Approvals** : cRc  
**Water Temperature** : All

## IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is provided with each container shipped. It is also available on our website or from the distributor.

## PRODUCT DIRECTIONS

### EQUIPMENT TO USE

Recommended automatic liquid laundry injection system.

### DIRECTIONS TO USE

**USE DILUTION:** Concentration varies due to environmental conditions and load size. Your sanitation specialist will adjust properly to meet your needs. 1. Pre-sort laundry prior to wash. 2. Pre-soak and/or pre-spot laundry when necessary. 3. Place proper amount of soiled fabric into laundry machine. 4. In wash cycle, inject microTECH™ Break and microTECH™ Suds or microTECH™ Suds EC. 5. When bleaching, inject microTECH™ Destainer or microTECH™ Oxygen Bleach. 6. When souring and softening, inject microTECH™ Sour/Soft, or microTECH™ Sour and microTECH™ Softener directly from shipping container. A final pH of 5.5-6.5 is recommended for the fabric.

\*This product can be used in all water temperatures. Your Chemical Specialist will adjust product concentrations based on results.

## PACKAGING

This product is available in 2/1.5 gallon bottles (5331870), 15 gallon drums (5388711) and 55 gallon drums (5411335).

\*Specially formulated for optimal results when used with OMNI's LUX Advanced Oxidation System. OMNI's patented system allows the user to use less hot water, less total water and improves disinfection during the wash process.

