



# MECHANICAL WAREWASH DETERGENT



## FEATURES

- High alkaline
- Concentrated
- Excellent water conditioning

## BENEFITS

- Removes tough, burned-on soil
- Efficient and economical
- Can be used in all water hardness conditions

## RECOMMENDED USES

For Institutional Use Only. DO NOT USE ON ALUMINUM OR ANY SOFT OR PRECIOUS METALS.

## SPECIFICATIONS

**Color** : Red  
**Scent/Odor** : None added/Amine  
**Character** : Clear, non-viscous liquid  
**Foam** : Non-foamer

**pH use dilution** : 11.0-12.5  
**Phosphorus content** : 0.7%  
**Approvals** : cRc

## IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at [www.uschemical.com](http://www.uschemical.com) and is also available by scanning the QR code on the label.

## PRODUCT DIRECTIONS

### DIRECTIONS TO USE

**USE DILUTION:** Concentration varies due to environmental conditions. Your sanitation specialist will adjust properly to meet your needs.

**FOR LOW TEMPERATURE WAREWASHING:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. 4. In rinse cycle, use a recommended rinse additive. 5. Sanitize using an approved chlorinated sanitizer at 50 ppm. Test using chlorine test papers or a liquid chlorine test kit. 6. Allow dishes to air dry.

**FOR HIGH TEMPERATURE WAREWASHING:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. Concentration will vary due to environmental conditions. Maintain wash temperature at 150°-160°F. 4. In rinse cycle, use a recommended rinse additive. Be sure rinse injector is working properly. Maintain rinse temperature at 180°-190°F. 5. Allow dishes to air dry.

## PACKAGING

This product is available in a 1/1.5 gallon case (101105446) and a 2/1.5 gallon case (5325040).

