



# Mechanical Warewash Detergent

Mechanical Warewash Detergent is a super-concentrated, non-chlorinated, machine warewashing detergent. It is designed to provide sparkling clean dishware in all water conditions and can be used in both high and low temperature dishwashing applications. Mechanical Warewash Detergent provides minimum packaging and maximum performance.

## SPECIFICATIONS

Color	Red
Scent/Odor	None added/Amine
Character	Clear, non-viscous liquid
Foam	Non-foamer
pH Use Dilution	11.0 - 12.5
Phosphorus Content	0.7%
Approvals	cRc

## PACK SIZES

101102272	2/3100 mL case
-----------	----------------



## DIRECTIONS FOR USE

**Equipment:** Recommended dispensing equipment.

**Use Dilution:** Concentration varies due to environmental conditions. Your sanitation specialist will adjust properly to meet your needs.

**For Low Temperature Warewashing:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. 4. In rinse cycle, use a recommended rinse additive. 5. Sanitize using an approved chlorinated sanitizer at 50 ppm. Test using chlorine test papers or a liquid chlorine test kit. 6. Allow dishes to air dry.

**For High Temperature Warewashing:** 1. Pre-flush and/or scrape dishes before washing. 2. Rack dishes properly. Place dishes in machine. 3. Wash using this product. Concentration will vary due to environmental conditions. Maintain wash temperature at 150°-160°F. 4. In rinse cycle, use a recommended rinse additive. Be sure rinse injector is working properly. Maintain rinse temperature at 180°-190°F. 5. Allow dishes to air dry.

## SAFETY REMINDER

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at [www.uschemical.com](http://www.uschemical.com) and is also available by scanning the QR code on the label.