े**ं basics**

Neutral Cleaner

Neutral Cleaner is a versatile, low-cost floor cleaner. It can be used for regular damp mopping, periodic wet mopping and for machine scrubbing prior to recoating floors with finish. Its low foaming characteristics make it ideal for use in automatic scrubbers. Surfaces dry clean, bright and streak-free. Safe on waxed floors.

Specifications

-	
Color	Green
Scent/Odor	Lemon
Character	Clear, non-viscous liquid
Foam	Low
pH Use Dilution	5.0 - 7.0
Phosphorus Content	0.0%
Approvals	N/A

Pack Sizes

101100657

4/1 gallon case



Directions For Use

SPRAY CLEANING/MANUAL APPLICATION: Dilute 2 ounces of product per gallon of water.

DAILY DAMP MOPPING/LIGHT SOIL REMOVAL: Dilute product at 1-2 ounces per gallon of water.

INTERMITTENT WET MOPPING/MEDIUM SOIL REMOVAL: Dilute product at concentrations up to 4 ounces per gallon of water.

MACHINE SCRUBBING/IMBEDDED SOIL REMOVAL: Where controlled removal of heavy soil and a portion of the abraded floor finish is required, use this product at 3-8 ounces per gallon of water. Rinse floor thoroughly and allow to dry before recoating with finish.

AUTOMATIC FLOOR MACHINES/ROUTINE CLEANING: Dilute product at no more than 2 ounces per gallon of water. Use soft buffing pads under the machine.

AGGRESSIVE SOIL REMOVAL: Dilute this product up to 4 ounces per gallon depending upon the amount of controlled soil and finish removal needed. Under normal conditions a red buffing pad is all that is needed for machine scrubbing with this product. If more aggressiveness is required, use a green or blue pad.

NOTE: Floors will be slippery when wet or contaminated with foreign materials. Promptly clean-up spills and foreign materials.

Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at www.uschemical.com and is also available by scanning the QR code on the label.



