

FLYING INSECT KILLER II

FEATURES

- Kills flies, mosquitos and many more insects
- Begins killing instantly
- The Modern Flyswatter

RECOMMENDED USES

- Insecticide for quick killing of flying insects

SPECIFICATIONS

Color : Milky white
Scent/Odor : Aromatic
Character : Aerosol
Foam : None

BENEFITS

- Kills on contact
- Provides rapid knockdown
- Non-staining

pH use dilution : 5.6-8.0
Phosphorus content : 0.0%
Approvals : EPA registered

IMPORTANT

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at www.uschemical.com and is also available by scanning the QR code on the label.

PRODUCT DIRECTIONS

EQUIPMENT TO USE

Applicators and other handlers must wear long-sleeved shirt, long pants, shoes and socks, chemical-resistant gloves made of barrier laminate, nitrile rubber, or Viton.

DIRECTIONS TO USE

Use Restrictions for Occupational Use

Do not use in indoor residential areas. When applied as a surface spray: Do not enter or allow others to enter until sprays have dried. When applied as a space spray: Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed and the treated area has been thoroughly ventilated. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For application to food/feed handling and service areas: Do not apply when food is present. Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. For use around or near floor drains: Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application. For crack and crevice applications indoors: Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment, and food preparation surfaces, or wash them before use. Do not use in aircraft cabins. When used in dairy barns or facilities: Close milk bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking. All outdoor applications must be limited to building surfaces and spot treatments on structures only. Broadcast surface applications are prohibited.

GENERAL: Point valve away from face and push button, holding container upright. When using indoors, do not remain in treated area. Ventilate the area for 20 minutes following treatment. Allow treated surfaces to thoroughly dry before use. For most effective results, follow directions for specific use areas. For use in Institutional and Industrial Sites: Animal Holding Areas, Animal Quarters, Attics, Bakeries, Barns, Beef Barns, Bottling Plants, Box Cars, Buildings Housing Animals or Poultry, Buses, Calving Barns, Canneries, Commercial Buildings, Commercial Kitchens, Crematoriums, Dairy Barns, Dairies, Dried Fruit Storage Areas, Drug Stores, Dumpsters, Factories, Farm Structures, Food Processing Plants, Food Storage Areas, Funeral Parlors, Garbage Cans, Goat Holding Areas, Grain Elevators, Grain Storage, Hog Barns, Horse Stables, Hospitals, Hotels, Industrial Plants, Institutions, Kennels, Kitchens, Livestock Holding Areas, Loafing Sheds, Mausoleums, Meter Boxes, Milk Houses, Milk Rooms, Milk Sheds, Milking Rooms, Mortuaries, Pet Sleeping Areas, Phone Boxes, Poultry Houses, Pullboxes, Railroad Cars, Restaurants, Rice Mills, Seed Storage, Sheep Holding Areas, Ships, Splicing Pits, Stables, Storage Areas, Stored Products, Supermarkets, Swine Houses, Theaters, Tobacco Warehouses, Trailers, Tree Nut Storage Areas, Trucks, Utility Boxes, Utility Handholds, Utility Vaults, Utility Rooms, Veterinary Clinics, Warehouses, Washrooms, Water Boxes and Wheat Mills.

SHAKE BEFORE USE AND AT INTERVALS DURING PROLONGED USE. Hold container upright with nozzle pointing away from face. Press valve down and spray as directed.

FOR USE IN ANIMAL QUARTERS, Barns, Dairies, Milking Parlors, Milking Rooms, Poultry Houses, and other listed animal areas when animals are not present:

For rapid kill of Flies, Mosquitoes, Gnats, House Flies, Horse Flies, Lesser House Flies, and Horn Flies: Spray at the rate of 5 – 10 seconds per 1,000 cubic feet of space, directing the spray toward the ceiling and upper corners of the room. For best results, close doors and windows if possible, before spraying and keep room closed for 20 minutes before re-entry. Applicator should vacate the treated area and ventilate room for 20 minutes before re-entry

PACKAGING

This product is available in 6/15 ounce cases (101102932).

Check with U S Chemical regarding product availability and registration status in your state.

See product Reference Sheet or container label for more information.



Contains no CFCs or other ozone depleting substances.
Federal regulations prohibit CFC propellants in aerosols.

