

# Shurguard HP RTU

## Technical Data Sheet

For Use in Health Care, Veterinary, Animal Housing, Dental, Laboratory, Medical, Industrial & Institutional Facilities, Food Processing Establishments, and Hospitals. It is designed for use on hard, non-porous inanimate surfaces where disinfection is required. A potable water rinse is required for food contact surfaces. Do not use on glasses, dishes and utensils. Spot sanitizes soft surfaces in 30 seconds.

### Specifications

<b>Color</b>	Colorless
<b>Scent/Odor</b>	None added
<b>Character</b>	Clear, non-viscous liquid
<b>Foam</b>	Low
<b>pH Use Dilution</b>	2.2 - 3.2
<b>Phosphorus Content</b>	0.119%
<b>Approvals</b>	N/A
<b>Registrations</b>	EPA

### Pack Sizes

<b>101104420</b>	6/1 quart case
<b>101104471</b>	4/1 gallon case



### Directions For Use

**For Use as a Cleaner or One-Step Disinfectant Product:** 1. Pre-clean visibly soiled areas. 2. Spray evenly over hard, non-porous inanimate surface to be cleaned, 6 – 8 inches from surface, making sure to wet surfaces visibly. 3. All surfaces must remain visibly wet for 1 minute. Use a 5 minute contact time for Tb and a 3 minute contact time for fungi. 4. Wipe surfaces dry or rinse or allow to air dry. **Note:** Rinsing is not necessary unless floors are to be coated with finish or restorer. All food contact surfaces must be rinsed with potable water. Do not use on glassware, utensils, or dishes.

**For Use as a Tuberculocide:** 1. Pre-clean visibly soiled areas. 2. Spray evenly over hard, non-porous inanimate surface to be cleaned, 6 – 8 inches from surface, making sure to wet surfaces visibly. 3. Allow the surface to remain visibly wet for 5 minutes. 4. Wipe surfaces dry or rinse or allow to air dry. 5. Change solution after each use.

**To Kill Fungi:** 1. Pre-clean visibly soiled areas. 2. Spray evenly over hard, non-porous inanimate surface to be cleaned, 6 – 8 inches from surface, making sure to wet surfaces visibly. 3. Allow surface to remain visibly wet for 3 minutes. 4. Wipe surfaces dry or rinse or allow to air dry.

**For use as a Non-Food Contact Sanitizer:** 1. Pre-clean heavily soiled areas. 2. Apply Solution with spray, cloth, disposable wipe or mop to hard, non-porous environmental surfaces. 3. Allow the surface to remain visibly wet for 30 seconds. 4. Wipe surfaces dry or rinse or allow to air dry. 5. Change solution after each use.

**To Spot Sanitize Soft Surfaces:** 1. Remove gross filth prior to sanitization. 2. Hold bottle upright 6 – 8" from surface. Spray until fabric is wet DO NOT SATURATE. 3. Allow surface to remain visibly wet for 30 seconds. 4. Gently blot with a clean, damp, color-safe cloth and let air dry. For difficult odors or heavy fabrics, repeat application. **Note:** Prior to first use on a particular surface, it is recommended to test in a small, discreet area if there is concern of incompatibility.

**For Use as a Cleaner and/or Deodorizer:** Apply onto hard, non-porous inanimate surface to be cleaned, making sure to wet surfaces visibly. Wipe surfaces dry or rinse.

### Safety Reminder

Read and understand the label and Safety Data Sheet (SDS). These provide a description of hazards, precautions, personal protective equipment, first aid, 24 Hour Emergency lines, storage data and other safe handling information. The SDS is available on our website at [www.uschemical.com](http://www.uschemical.com) and is also available by scanning the QR code on the label.

